NKAH-M202-10 1/3



PRODUCT-DETAILS

## NKAH-M202-10 FTNG 45D M20 NW12 PA6/BR IP69 BLK



FTNG 45D M20 NW12 PA6/BR IP69 BLK X Pro 45 Degree Black Two-Piece Elbow with Metric Threads, Elbow Material - , Thread Material - Nickel-Plated Brass, Thread Size - M20x1.5, Thread Length
X Pro 45 Degree Black Two-Piece Elbow with Metric Threads, Elbow Material -, Thread Material - Nickel-Plated Brass, Thread Size - M20x1.5, Thread Length
, Thread Material - Nickel-Plated Brass, Thread Size - M20x1.5, Thread Length
For Cable Protection Systems In a Wide Range of Applications
Fittings for Nylon Flexible Conduits

EAN

UPC

7630030242236

786209961655

NKAH-M202-10 2/3

Technical	
Number of Batteries	(
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6
Size	M20
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Certificates and Declarations  Data Sheet, Technical	NKAH-M202-10
Information	
Instructions and Manuals	NKAH-M202-10
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

NKAH-M202-10 3/3





