NKNZ-M160S-5 1/3



PRODUCT-DETAILS

NKNZ-M160S-5 FTNG STR M16 NW10 PA6/BR 5-9 5MM



General Information	
Extended Product Type	NKNZ-M160S-5
Product ID	7TAA292400R0159
EAN	7630030260926
Catalog Description	FTNG STR M16 NW10 PA6/BR 5-9 5MM
Long Description	KNZ Straight Connector with Strain Relief, Metric Metal Thread - Thread M16x1.5 Conduit Size 10, Clamping Range 5.0-9.0, Thread Length 5.0, Color Black

Additional Information

Product Type Connectors-Straight

Ordering	
EAN	7630030260926
UPC	786209962171

NKNZ-M160S-5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations	
Data Sheet, Technical Information	NKNZ-M160S-5
Instructions and Manuals	NKNZ-M160S-5
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NKNZ-M160S-5 3/3

