



PRODUCT-DETAILS

NKNZ-M202/P4  
FTNG STR M20NW12 PA6/BR 7-10.5 BLK



| General Information   |                                                                                                                                                                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | NKNZ-M202/P4                                                                                                                                                                                                                                    |
| Product ID            | 7TAA292400R0163                                                                                                                                                                                                                                 |
| EAN                   | 7630030260872                                                                                                                                                                                                                                   |
| Catalog Description   | FTNG STR M20NW12 PA6/BR 7-10.5 BLK                                                                                                                                                                                                              |
| Long Description      | PMAFIX Pro Straight Black Strain Relief Connector with Metric Metal Threads,<br>Connector Material - Polyamide 6, Thread Material - Nickel-Plated Brass, Thread Size -<br>M20x1.5, Terminal Range - 7.0 - 10.5, Nominal Width/Conduit Size - 12 |

| Additional Information |                     |
|------------------------|---------------------|
| Product Type           | Connectors-Straight |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030260872 |
| UPC      | 786209962218  |

| Technical           |                                              |
|---------------------|----------------------------------------------|
| Number of Batteries | 0                                            |
| Color               | Black                                        |
| Material            | Polyamide 6 with Nickel Plated Brass Threads |
| Size                | NW12 ; M20x1.5 Thread                        |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |              |
|--------------------------------|--------------|
| Package Level 1 Units          | 50 EA        |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NKNZ-M202/P4    |
| Instructions and Manuals          | NKNZ-M202/P4    |
| Declaration of Conformity - CE    | 9AKK107680A0674 |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121420                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

