



PRODUCT-DETAILS

NKNZ-M329/P2
FTNG STR M32NW29 PA6/BR 14-18 BLK



General Information	
Extended Product Type	NKNZ-M329/P2
Product ID	7TCA292000R0195
EAN	7630030260551
Catalog Description	FTNG STR M32NW29 PA6/BR 14-18 BLK
Long Description	Straight Connector with Strain Relief, Halogenfree Polyamide 6, Nickel-Plated Brass Thread, Thread Size M32x1.5, Conduit Size NW 29, Clamping Range 14.0 - 18.0k, IP68 and IP69 Certified, Black

Additional Information	
Product Type	Connectors-Straight

Ordering	
EAN	7630030260551
UPC	786210061757

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M32x1.5 Thread

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	199.898 mm 7.87 in
Package Level 1 Depth / Length	400.05 mm 15.75 in
Package Level 1 Width	100.076 mm 3.94 in

Certificates and Declarations	
Data Sheet, Technical Information	NKNZ-M329/P2
Instructions and Manuals	NKNZ-M329/P2
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

