



PRODUCT-DETAILS

NKNZ-M329/P3

FTNG STR M32NW29 PA6/BR 17-20.5 BL



General Information	
Extended Product Type	NKNZ-M329/P3
Product ID	7TCA292000R6029
EAN	7630030298912
Catalog Description	FTNG STR M32NW29 PA6/BR 17-20.5 BL
Long Description	Straight Connector with Strain Relief, Halogenfree Polyamide 6, Nickel-Plated Brass Thread, Thread Size M32x1.5, Conduit Size NW 29, Clamping Range 17.0 - 20.5k, IP68 and IP69 Certified, Black

Additional Information	
Product Type	Connectors-Straight

Ordering	
EAN	7630030298912
UPC	786210061795

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M32x1.5 Thread

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	199.898 mm 7.87 in
Package Level 1 Depth / Length	400.05 mm 15.75 in
Package Level 1 Width	100.076 mm 3.94 in

Certificates and Declarations

Data Sheet, Technical Information	NKNZ-M329/P3
Instructions and Manuals	NKNZ-M329/P3
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

