NKNZ-M409R/P 1/3



PRODUCT-DETAILS

## **NKNZ-M409R/P** FTNG ONLY STR M40 NW23 PA6/BR BLK



General Information	
Extended Product Type	NKNZ-M409R/P
Product ID	7TAA292400R0189
EAN	7630030260452
Catalog Description	FTNG ONLY STR M40 NW23 PA6/BR BLK
Long Description	KNZ Straight Connector with Strain Relief, Metric Metal Thread for IP68 and IP69 - Thread Metric M40x1.5, Fits to Conduit Size NW/Metric 23/25, Color Black, Without Sealing Insert

# Additional Information Product Type Connectors-Straight

Ordering	
EAN	7630030260452
UPC	786209962478

NKNZ-M409R/P 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW23 , M40x1.5 Thread

## **Environmental**

Product Not in WEEE Scope

Container Information	
Package Level 1 Units	40 EA
Package Level 1 Height	200 mm 7.874 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

## **Certificates and Declarations**

Data Sheet, Technical Information	NKNZ-M409R/P
Instructions and Manuals	NKNZ-M409R/P
Declaration of Conformity - CE	9AKK107680A0674

## Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

## Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$ 

NKNZ-M409R/P 3/3

