NKNZ-M409/P5 1/3



PRODUCT-DETAILS

NKNZ-M409/P5 FTNG STR M40NW29 PA6/BR 24-28 BLK



General Information	
Extended Product Type	NKNZ-M409/P5
Product ID	7TAA292400R0188
EAN	7630030260469
Catalog Description	FTNG STR M40NW29 PA6/BR 24-28 BLK
Long Description	PMAFIX Pro Straight Black Strain Relief Connector with Metric Metal Threads, Connector Material - Polyamide 6, Thread Material - Nickel-Plated Brass, Thread Size - M40x1.5, Terminal Range - 24.0 - 28.0, Nominal Width/Condiut Size - 29

Additional Information Product Type Connectors-Straight

Ordering	
EAN	7630030260469
UPC	786209962461

NKNZ-M409/P5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M40x1.5 Thread

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations

Data Sheet, Technical Information	NKNZ-M409/P5
Instructions and Manuals	NKNZ-M409/P5
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NKNZ-M409/P5 3/3

