NVAV-M406GT-13 1/3



PRODUCT-DETAILS

NVAV-M406GT-13 FITTING PA6/BR NW36 M40 45D BLK



| General Information | | |
|-----------------------|--|--|
| Extended Product Type | NVAV-M406GT-13 | |
| Product ID | 7TCA292000R2985 | |
| EAN | 7630030259463 | |
| Catalog Description | FITTING PA6/BR NW36 M40 45D BLK | |
| Long Description | PMAFIX 45 Degree Black Elbow with Metric Threads, Elbow Material - Polyamide 6, IP68GT, Thread Material-Nickel-Plated Brass, Thread Size - M40 X 1.5, Conduit Size NW - 36, Thread Length - 13 | |

| Additional Information | |
|------------------------|---|
| Application | For Applications with High Technical Requirements |
| Product Type | Flexible Conduits & Fittings |
| Ordering | |
| EAN | 7630030259463 |

NVAV-M406GT-13 2/3

| Technical | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide/Nylon 6 |
| Size | M40 |

Environmental WEEE Category Product Not in WEEE Scope

| Container Information | |
|-------------------------|------------|
| Package Level 1 Units | 20 EA |
| Package Level 1 Height | 100.076 mm |
| | 3.94 in |
| Package Level 1 Depth / | 350.012 mm |
| Length | 13.78 in |
| Package Level 1 Width | 279.908 mm |
| - | 11.02 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | NVAV-M406GT-13 |
| Instructions and Manuals | NVAV-M406GT-13 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NVAV-M406GT-13 3/3

