



PRODUCT-DETAILS

NVAV-M508-9

CONDFTNG 45 M50 NW48 PA6/BR 9MM BLK



General Information

| | |
|-----------------------|---|
| Extended Product Type | NVAV-M508-9 |
| Product ID | 7TAA292150R0613 |
| EAN | 7630030259418 |
| Catalog Description | CONDFTNG 45 M50 NW48 PA6/BR 9MM BLK |
| Long Description | PMAFIX 45 Degree Black Elbow with Metric Threads, Elbow Material - Polyamide 6, Thread Material-Nickel-Plated Brass, Thread Size - M50x1.5, Conduit Size NW - 48, Thread Length - 9 |

Additional Information

| | |
|--------------|---|
| Application | For Applications with High Technical Requirements |
| Product Type | Flexible Conduits & Fittings |

Ordering

| | |
|-----|---------------|
| EAN | 7630030259418 |
| UPC | 786209962904 |

Technical

| | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide/Nylon 6 |
| Size | M50 |

Environmental

| | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

| | |
|--------------------------------|--------------|
| Package Level 1 Units | 10 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

Certificates and Declarations

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVAV-M508-9 |
| Instructions and Manuals | NVAV-M508-9 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

Classifications

| | |
|--------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

