



PRODUCT-DETAILS

NVBV-M406-8

FTNG 90C M40 NW36 PA6/BR 8 IP68 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | NVBV-M406-8 |
| Product ID | 7TAA292150R0635 |
| EAN | 7630030258909 |
| Catalog Description | FTNG 90C M40 NW36 PA6/BR 8 IP68 BLK |
| Long Description | PMAFIX 90 Degree Black Elbow with Metric Threads, Elbow Material - Polyamide 6, Thread Material-Nickel-Plated Brass, Thread Size - M40x1.5, Conduit Size NW - 36, Thread Length - 8 |

| Additional Information | |
|------------------------|--|
| Application | For Use In the Machine Tool Industry and Railway Vehicle Construction Where Increased Requirements are Demanded. |
| Product Type | Flexible Conduits & Fittings |

| Ordering | |
|----------|---------------|
| EAN | 7630030258909 |
| UPC | 786209963123 |

| Technical | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide/Nylon 6 |
| Size | M40 |

| Environmental | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | 20 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVBV-M406-8 |
| Instructions and Manuals | NVBV-M406-8 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

| Categories | |
|---|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

