



PRODUCT-DETAILS

NVBV-M506GT-14

FTNG 90C M50NW36 PA6/BR 14 68GT BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | NVBV-M506GT-14 |
| Product ID | 7TCA292000R0212 |
| EAN | 7630030258824 |
| Catalog Description | FTNG 90C M50NW36 PA6/BR 14 68GT BLK |
| Long Description | VBV Connector 90 Degree Curved Elbow, Metric Metal Thread for IP68GT Conduit - Thread M50x1.5, Fits to Conduit Size NW/Metric 36/40, Color Black |

| Additional Information | |
|------------------------|---|
| Application | For applications with high technical requirements |
| Product Type | Connectors- Curved 90 Degree |

| Ordering | |
|----------|---------------|
| EAN | 7630030258824 |
| UPC | 786209890610 |

| Technical | |
|---------------------|--|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 with Nickel Plated Brass Threads |
| Size | NW36 , M50 Thread |

| Environmental | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | 20 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVBV-M506GT-14 |
| Instructions and Manuals | NVBV-M506GT-14 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| Categories | |
|---|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

