NVNV-M120GT-5 1/3



PRODUCT-DETAILS

NVNV-M120GT-5 FTNG STR M12 NW10 PA6/BR 5 68GT BLK



General Information	
Extended Product Type	NVNV-M120GT-5
Product ID	7TCA292000R0218
EAN	7630030256691
Catalog Description	FTNG STR M12 NW10 PA6/BR 5 68GT BLK
Long Description	VNV Connector Straight, Metric Metal Thread for IP68GT - Thread M12x1.5, Fits to Conduit Size NW/Metric 10/12, Thread Length 5.0, Color Black
Additional Information	
Application	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties
Product Type	Connectors-Straight
Ordering	
EAN	7630030256691
UPC	786209890153

NVNV-M120GT-5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10 , M12 Thread
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	63.5 mm 2.5 in
Package Level 1 Depth / Length	389.89 mm 15.35 in
Package Level 1 Width	240.03 mm 9.45 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNV-M120GT-5
Instructions and Manuals	NVNV-M120GT-5
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVNV-M120GT-5 3/3

