NVNV-M160-5 1/3



PRODUCT-DETAILS

NVNV-M160-5

FTNG STR M16 NW10 PA6/BR 5 IP68 BLK



| General Information | |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | NVNV-M160-5 |
| Product ID | 7TAA292150R0652 |
| EAN | 7630030256660 |
| Catalog Description | FTNG STR M16 NW10 PA6/BR 5 IP68 BLK |
| Long Description | PMAFIX Straight Black Connector with Metric Threads, Connector Material - Polyamide 6, Thread Material - Nickel Plated Brass, Thread Size - M16x1.5, Thread Length - 5, Conduit Size NW - 10 |

| Application | For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties |
|--------------|------------------------------------------------------------------------------------------------------------------------------------|
| Product Type | Connectors-Straight |

| Ordering | |
|----------|---------------|
| EAN | 7630030256660 |
| UPC | 786209963871 |

NVNV-M160-5 2/3

| Technical | |
|---------------------|----------------------------------------------|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 with Nickel Plated Brass Threads |
| Size | NW10 , M16 Thread |

Environmental

WEEE Category Product Not in WEEE Scope

| Container Information | |
|-----------------------------------|-------------------------|
| Package Level 1 Units | 500 EA |
| Package Level 1 Height | 200 mm 7.874 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | NVNV-M160-5 |
| Instructions and Manuals | NVNV-M160-5 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---------------------------------------------------------|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost lation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NVNV-M160-5 3/3

