NVNV-M162-5 1/3



PRODUCT-DETAILS

NVNV-M162-5 FTNG STR M16 NW12 PA6/BR 5 IP68 BLK



General Information	
Extended Product Type	NVNV-M162-5
Product ID	7TAA292150R0654
EAN	7630030256592
Catalog Description	FTNG STR M16 NW12 PA6/BR 5 IP68 BLK
Long Description	PMAFIX Straight Black Connector with Metric Threads, Connector Material - Polyamide 6, Thread Material - Nickel Plated Brass, Thread Size - M16x1.5, Thread Length - 5, Conduit Size NW - 12

Application	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Propertie
Product Type	Connectors-Straigh

Ordering	
EAN	7630030256592
UPC	786209963895
	_

NVNV-M162-5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW12 , M16 Thread

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNV-M162-5
Instructions and Manuals	NVNV-M162-5
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Lost and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NVNV-M162-5 3/3

