NVNV-M162GT-5 1/3



PRODUCT-DETAILS

NVNV-M162GT-5 FTNG STR M16 NW12 PA6/BR 5 68GT BLK



General Information	
Extended Product Type	NVNV-M162GT-5
Product ID	7TCA292000R0222
EAN	7630030256561
Catalog Description	FTNG STR M16 NW12 PA6/BR 5 68GT BLK
Long Description	VNV Connector Straight, Metric Metal Thread for IP68GT - Thread M16x1.5, Fits to Conduit Size NW/Metric 12/16, Thread Length 5.0, Color Black

Additional Information	
Application	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties
Product Type	Connectors-Straight

Ordering	
EAN	7630030256561
UPC	786209890191

NVNV-M162GT-5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW12; M16 Thread

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information	
Package Level 1 Units	400 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNV-M162GT-5
Instructions and Manuals	NVNV-M162GT-5
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

NVNV-M162GT-5 3/3

