



PRODUCT-DETAILS

NVNV-M323-13
FTNG STR M32NW23 PA6/BR 13 IP68 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | NVNV-M323-13 |
| Product ID | 7TAA292150R0663 |
| EAN | 7630030256295 |
| Catalog Description | FTNG STR M32NW23 PA6/BR 13 IP68 BLK |
| Long Description | PMAFIX Straight Black Connector with Metric Threads, Connector Material - Polyamide 6, Thread Material - Nickel Plated Brass, Thread Size - M32x1.5, Thread Length - 13, Conduit Size NW - 23 |

| Additional Information | |
|------------------------|---|
| Application | For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties |
| Product Type | Connectors-Straight |

| Ordering | |
|----------|---------------|
| EAN | 7630030256295 |
| UPC | 786209963987 |

| Technical | |
|---------------------|--|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 with Nickel Plated Brass Threads |
| Size | NW23 ; M32 Thread |

| Environmental | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information | |
|--------------------------------|-------------------------|
| Package Level 1 Units | 120 EA |
| Package Level 1 Height | 200 mm 7.874 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| Certificates and Declarations | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVNV-M323-13 |
| Instructions and Manuals | NVNV-M323-13 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| Categories | |
|---|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

