NVNV-M506GT-14 1/3



PRODUCT-DETAILS

NVNV-M506GT-14 FTNG STR M50NW36 PA6/BR 14 68GT BLK



Extended Product Type	NVNV-M506GT-14
Product ID	7TCA292000R0239
EAN	7630030255991
Catalog Description	FTNG STR M50NW36 PA6/BR 14 68GT BLK
Long Description	VNV Connector Straight, Metric Metal Thread for IP68GT - Thread M50x1.5, Fits to Conduit Size NW/Metric 36/40, Thread Length 14.0, Color Black
Additional Information	
Additional information	
Application	For Use In the Heavy Machine and Railway Vehicle Construction Sectors Where Increased Demands are Made of the System Properties
Product Type	Connectors-Straight
Ordering	
EAN	7630030255991
UPC	786209890405

NVNV-M506GT-14 2/3

Technical	
Number of Batteries	C
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 ; M50 Thread
<u>Environmental</u>	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	40 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNV-M506GT-14
Instructions and Manuals	NVNV-M506GT-14
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
	CO001176 Careus connection for commissional allegations
ETIM 8 UNSPSC	EC001176 - Screw connection for corrugated plastic hose 39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVNV-M506GT-14 3/3

