



PRODUCT-DETAILS

NVNV-P167
FTNG STR PG16 NW17 PA6/BR IP68 BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | NVNV-P167 |
| Product ID | 7TAA292150R0680 |
| EAN | 7630030255748 |
| Catalog Description | FTNG STR PG16 NW17 PA6/BR IP68 BLK |
| Long Description | VNV Connector Straight, PG Metal Thread for IP68 - Thread PG 16, Fits to Conduit Size NW/Metric 17/20, Color Black |

| Additional Information | |
|------------------------|---|
| Application | Use In Railway Vehicle and Heavy Machine Construction |
| Product Type | Connectors-Straight |

| Ordering | |
|----------|---------------|
| EAN | 7630030255748 |
| UPC | 786209964151 |

| Technical | |
|---------------------|--|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 with Nickel Plated Brass Threads |
| Size | NW17 , PG16 Thread |

| Environmental | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information | |
|--------------------------------|-------------------------|
| Package Level 1 Units | 200 EA |
| Package Level 1 Height | 200 mm 7.874 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| Certificates and Declarations | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVNV-P167 |
| Instructions and Manuals | NVNV-P167 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| Categories | |
|---|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

