



PRODUCT-DETAILS

## NVNV-P299 FTNG STR PG29 NW29 PA6/BR IP68 BLK



EAN 763   Catalog Description FTNG STR PG29 NW29 PA6/I	
EAN 763   Catalog Description FTNG STR PG29 NW29 PA6/I	NVNV-P299
Catalog Description FTNG STR PG29 NW29 PA6/	292150R0683
	30030255601
	BR IP68 BLK
Long Description VNV Connector Straight, PG Metal Thread for IP68 - Thread PG 29, Fits to 0 NW/Metric 29/32	

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Connectors-Straight

Ordering	
EAN	7630030255601
UPC	786209964182

© 2024 ABB. All rights reserved.

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29, PG29 Thread

Environmental	
WEEE Category	Product Not in WEEE Scope

Package Level 1 Units	80 E/
Package Level 1 Height	200 mn 7.874 ii
Package Level 1 Depth / Length	399.999 mn 15.748 ii
Package Level 1 Width	299.999 mn 11.811 ii

Certificates and Declarations	
Data Sheet, Technical Information	NVNV-P299
Instructions and Manuals	NVNV-P299
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

## Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Cable Protection, Explosion Proof and Lighting  $\rightarrow$  Flexible Cable Protection Systems

2024/04/15

