NVNZ-M160GT-5 1/3



PRODUCT-DETAILS

NVNZ-M160GT-5 FITTING PA6/BR NW10M16 IP68 BLK 5MM



General Information	
Extended Product Type	NVNZ-M160GT-5
Product ID	7TCA292000R0258
EAN	7630030255359
Catalog Description	FITTING PA6/BR NW10M16 IP68 BLK 5MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68GT - Thread M16x1.5, Conduit Size NW 10, Thread Length 5 Millimeters, with Sealing Insert, Color Black
Additional Information Application Product Type	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas Fittings for Nylon Flexible Conduits
Ordering EAN	7630030255359
UPC	786210171333

NVNZ-M160GT-5 2/3

Technical	
Number of Batteries	C
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10 ; M16x1.5
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	100.076 mm 3.94 in
Package Level 1 Depth / Length	350.012 mm 13.78 in
Package Level 1 Width	279.908 mm 11.02 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-M160GT-5
Instructions and Manuals	NVNZ-M160GT-5
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
	FC001176 Carety connection for as well-the least
ETIM 8 UNSPSC	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVNZ-M160GT-5 3/3

