



PRODUCT-DETAILS

NVNZ-M160GT/P1L
FITTING PA6/BR NW10 M16 4-6.5 BLK



Product image
not available

General Information	
Extended Product Type	NVNZ-M160GT/P1L
Product ID	7TCA292000R0256
EAN	7630030255342
Catalog Description	FITTING PA6/BR NW10 M16 4-6.5 BLK
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68GT - Thread M16x1.5, Thread Length 15 Millimeters, Conduit Size NW 10, Clamping Range 4.0-6.5, with Sealing Insert, Color Black
Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits
Ordering	
EAN	7630030255342
UPC	786210171340

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10 : M16x1.5

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	50 EA
Package Level 1 Height	100.076 mm 3.94 in
Package Level 1 Depth / Length	350.012 mm 13.78 in
Package Level 1 Width	279.908 mm 11.02 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M160GT/P1L
Instructions and Manuals	NVNZ-M160GT/P1L
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available