



PRODUCT-DETAILS

# NVNZ-M202S/P1-L

## FTNG STR M20 NW12 PA6/BR 4-6.5 LONG



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | NVNZ-M202S/P1-L   |
| Product ID            | 7TAA292150R0709   |
| EAN                   | 7630030255106   |
| Catalog Description   | FTNG STR M20 NW12 PA6/BR 4-6.5 LONG   |
| Long Description      | VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Long Thread M20x1.5, Conduit Size NW 12, Clamping Range 4.0-6.5, with Sealing Insert, Color Black |

### Additional Information

|              |  |
|--------------|--|
| Application  | Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas |
| Product Type | Fittings for Nylon Flexible Conduits   |

### Ordering

|     |               |
|-----|---------------|
| EAN | 7630030255106 |
| UPC | 786209964427  |

---

### Technical

|                     |  |
|---------------------|--|
| Number of Batteries | 0  |
| Color               | Black  |
| Material            | Polyamide 6 with Nickel Plated Brass Threads |
| Size                | NW12 , M20x1.5                               |

---

### Environmental

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

---

### Container Information

|                                |              |
|--------------------------------|--------------|
| Package Level 1 Units          | 50 EA        |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

---

### Certificates and Declarations

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVNZ-M202S/P1-L |
| Instructions and Manuals          | NVNZ-M202S/P1-L |
| Declaration of Conformity - CE    | 9AKK107680A0674 |

---

### Classifications

|        |   |
|--------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121719  |

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

