



PRODUCT-DETAILS

NVNZ-M253R/P

FTNG ONLY STR M25 NW23 PA6/BR 9-13



General Information	
Extended Product Type	NVNZ-M253R/P
Product ID	7TAA292150R0724
EAN	7630030254864
Catalog Description	FTNG ONLY STR M25 NW23 PA6/BR 9-13
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M25x1.5, Conduit Size NW 23, Clamping Range 9.0-13.0, Without Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030254864
UPC	786209964595

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW23 , M25x1.5

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	150 EA
Package Level 1 Height	200 mm 7.874 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M253R/P
Instructions and Manuals	NVNZ-M253R/P
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

