

PRODUCT-DETAILS

NVNZ-M323R/P-L FTNG ONLY STR M32 NW23 PA6/BR LONG



Extended Product Type	NVNZ-M323R/P-L
Product ID	7TAA292150R0740
AN	7630030254628
Catalog Description	FTNG ONLY STR M32 NW23 PA6/BR LONG
ong Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Long Thread M32x1.5, Conduit Size NW 23, Clamping Range 14.0-18.0, Without Sealing Insert, Color Black

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits
Ordering	
Ordering	7020020254020
Ordering EAN UPC	763003025 78620996

© 2024 ABB. All rights reserved.

2024/04/15

Subject to change without notice

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW23 , M32x1.5

Environmental

WEEE Category

Product Not in WEEE Scope

Container Information	
Package Level 1 Units	30 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-M323R/P-L
Instructions and Manuals	NVNZ-M323R/P-L
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Cable Protection, Explosion Proof and Lighting \rightarrow Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.

