



PRODUCT-DETAILS

# NVNZ-M329R/P

## FTNG ONLY STR M32 NW29 PA6/BR



General Information	
Extended Product Type	NVNZ-M329R/P
Product ID	7TCA292000R0278
EAN	7630030254505
Catalog Description	FTNG ONLY STR M32 NW29 PA6/BR
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68, Conduit Size NW 29, Clamping Range 14.0-18.0, Without Sealing Insert, Color Black
Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits
Ordering	
EAN	7630030254505
UPC	786210116372

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 : M32x1.5

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	80 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-M329R/P
Instructions and Manuals	NVNZ-M329R/P
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image  
not available