



PRODUCT-DETAILS

NVNZ-M329S/P2-L

FTNG STR M32 NW29 PA6/BR 14-18 LONG



General Information	
Extended Product Type	NVNZ-M329S/P2-L
Product ID	7TAA292150R0753
EAN	7630030254451
Catalog Description	FTNG STR M32 NW29 PA6/BR 14-18 LONG
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Long Thread M32x1.5, Conduit Size NW 29, Clamping Range 14.0-18.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030254451
UPC	786209964861

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M32x1.5

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M329S/P2-L
Instructions and Manuals	NVNZ-M329S/P2-L
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

