



---

**PRODUCT-DETAILS****NVNZ-M406S-13****FTNG STR M40 NW36 PA6/BR W/INS 13MM**

---

**General Information**

Extended Product Type	NVNZ-M406S-13
Product ID	7TAA292150R0758
EAN	7630030254376
Catalog Description	FTNG STR M40 NW36 PA6/BR W/INS 13MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M40x1.5, Conduit Size NW 36, Thread Length 13, with Sealing Insert, Color Black

---

**Additional Information**

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Connectors-Straight

---

**Ordering**

EAN	7630030254376
UPC	786209964946

---

**Technical**

---

Number of Batteries	0
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6, Thread Made of Nickel Plated Brass, and Sealing Inserts are Made from TPE-V
Size	NW36 , M40x1.5 Thread

---

---

**Environmental**

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---

---

**Container Information**

---

Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

---

---

**Certificates and Declarations**

---

Data Sheet, Technical Information	NVNZ-M406S-13
Instructions and Manuals	NVNZ-M406S-13
Declaration of Conformity - CE	9AKK107680A0674

---

---

**Classifications**

---

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

---

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

