



PRODUCT-DETAILS

# NVNZ-M406S-8

## FTNG STR M40 NW36 PA6/BR W/INS 8MM



General Information	
Extended Product Type	NVNZ-M406S-8
Product ID	7TAA292150R0759
EAN	7630030254369
Catalog Description	FTNG STR M40 NW36 PA6/BR W/INS 8MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M40x1.5, Conduit Size NW 36, Thread Length 8, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Connectors-Straight

Ordering	
EAN	7630030254369
UPC	786209964953

---

### Technical

Number of Batteries	0
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6, Thread Made of Nickel Plated Brass, and Sealing Inserts are Made from TPE-V
Size	NW36 , M40x1.5 Thread

---

### Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---

### Container Information

Package Level 1 Units	40 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

---

### Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M406S-8
Instructions and Manuals	NVNZ-M406S-8
Declaration of Conformity - CE	9AKK107680A0674

---

### Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

