



PRODUCT-DETAILS

NVNZ-M406S/P3

FTNG STR M40 NW36 PA6/BR 27-32 BLK



General Information

Extended Product Type	NVNZ-M406S/P3
Product ID	7TCA292000R0282
EAN	7630030254338
Catalog Description	FTNG STR M40 NW36 PA6/BR 27-32 BLK
Long Description	Black Fitting for Nylon Flexible Conduit IP68, VNZ Straight, Metric, Strain Relief - Thread M40x1.5, Fits to Conduit Size NW36 Metric 40, Grip Range 27-32mm, Thread Length 9.0

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

Ordering

EAN	7630030254338
UPC	786210059860

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 , M40x1.5

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	40 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M406S/P3
Instructions and Manuals	NVNZ-M406S/P3
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

