



PRODUCT-DETAILS

NVNZ-M506S-14

FTNG STR M50 NW36 PA6/BR W/INS 14MM



General Information	
Extended Product Type	NVNZ-M506S-14
Product ID	7TAA292150R0775
EAN	7630030254109
Catalog Description	FTNG STR M50 NW36 PA6/BR W/INS 14MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M50x1.5, Conduit Size NW 36, Thread Length 14, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Connectors-Straight

Ordering	
EAN	7630030254109
UPC	786209965134

Technical	
Number of Batteries	0
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6, Thread Made of Nickel Plated Brass, and Sealing Inserts are Made from TPE-V
Size	NW36 , M50x1.5 Thread

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	299.999 mm 11.811 in
Package Level 1 Width	200 mm 7.874 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-M506S-14
Instructions and Manuals	NVNZ-M506S-14
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

