



PRODUCT-DETAILS

# NVNZ-M506S/P3

## FTNG STR M50 NW36 PA6/BR 32-36 BLK



### General Information

Extended Product Type	NVNZ-M506S/P3
Product ID	7TAA292150R0779
EAN	7630030254062
Catalog Description	FTNG STR M50 NW36 PA6/BR 32-36 BLK
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M50x1.5, Conduit Size NW 36, Clamping Range 32.0-36.0, with Sealing Insert, Color Black

### Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

### Ordering

EAN	7630030254062
UPC	786209965110

---

### Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 , M50x1.5

---

### Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---

### Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

---

### Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M506S/P3
Instructions and Manuals	NVNZ-M506S/P3
Declaration of Conformity - CE	9AKK107680A0674

---

### Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

