



PRODUCT-DETAILS

NVNZ-M508S-14

FTNG STR M50 NW48 PA6/BR W/INS 14MM



General Information

Extended Product Type	NVNZ-M508S-14
Product ID	7TAA292150R0783
EAN	7630030254000
Catalog Description	FTNG STR M50 NW48 PA6/BR W/INS 14MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M50x1.5, Conduit Size NW 48, Thread Length 14, with Sealing Insert, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Connectors-Straight

Ordering

EAN	7630030254000
UPC	786209965219

Technical

Number of Batteries	0
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6, Thread Made of Nickel Plated Brass, and Sealing Inserts are Made from TPE-V
Size	NW48 , M50x1.5 Thread

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	200 mm 7.874 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M508S-14
Instructions and Manuals	NVNZ-M508S-14
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

