NVNZ-M508S-9 1/3



PRODUCT-DETAILS

NVNZ-M508S-9 FTNG STR M50 NW48 PA6/BR W/INS 9MM



General Information	
Extended Product Type	NVNZ-M508S-9
Product ID	7TAA292150R0784
EAN	7630030253997
Catalog Description	FTNG STR M50 NW48 PA6/BR W/INS 9MM
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Thread M50x1.5, Conduit Size NW 48, Thread Length 9, with Sealing Insert, Color Black
Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Connectors-Straight
Ordering	
EAN	7630030253997
UPC	786209965226

NVNZ-M508S-9 2/3

Technical	
Number of Batteries	
Color	Black
Material	High-Grade Specially Formulated Polyamide/Nylon 6, Thread Made of Nickel
Size	Plated Brass, and Sealing Inserts are Made from TPE-\ NW48 , M50x1.5 Thread
<u> </u>	TVV+0 , MISOX 1.5 TIMEAN
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	10 EA
Package Level 1 Height	0 mm 0 ir
Package Level 1 Depth / Length	0 mm 0 ir
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-M508S-9
Instructions and Manuals	NVNZ-M508S-9
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose

Categories

UNSPSC

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

39121420

NVNZ-M508S-9 3/3

