



---

**PRODUCT-DETAILS**

## NVNZ-M508S/P2-L

### FTNG STR M50 NW48 PA6/BR 32-36 LONG



---

**General Information**

Extended Product Type	NVNZ-M508S/P2-L
Product ID	7TAA292150R0786
EAN	7630030253973
Catalog Description	FTNG STR M50 NW48 PA6/BR 32-36 LONG
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Long Thread M50x1.5, Conduit Size NW 48, Clamping Range 32.0-36.0, with Sealing Insert, Color Black

---

**Additional Information**

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

---

**Ordering**

EAN	7630030253973
UPC	786209965189

---

**Technical**

---

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW48 , M50x1.5

---

---

**Environmental**

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---

---

**Container Information**

---

Package Level 1 Units	10 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

---

---

**Certificates and Declarations**

---

Data Sheet, Technical Information	NVNZ-M508S/P2-L
Instructions and Manuals	NVNZ-M508S/P2-L
Declaration of Conformity - CE	9AKK107680A0674

---

---

**Classifications**

---

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

---

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

