NVNZ-P090S/P3 1/3



PRODUCT-DETAILS

NVNZ-P090S/P3FTNG STR PG9NW10 PA6/BR 6.5-9.5 BLK



General Information	
Extended Product Type	NVNZ-P090S/P3
Product ID	7TAA292150R0806
EAN	7630030253706
Catalog Description	FTNG STR PG9NW10 PA6/BR 6.5-9.5 BLK
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 9, Conduit Size NW 10, Clamping Range 6.5-9.5, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253706
UPC	786209965400

NVNZ-P090S/P3 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10 , PG09

Environmental

WEEE Category Product Not in WEEE Scope

Container Information		
Package Level 1 Units	50 EA	
Package Level 1 Height	0 mm 0 in	
Package Level 1 Depth / Length	0 mm 0 in	
Package Level 1 Width	0 mm 0 in	

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P090S/P3
Instructions and Manuals	NVNZ-P090S/P3
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVNZ-P090S/P3 3/3

