NVNZ-P110S-L 1/3



PRODUCT-DETAILS

NVNZ-P110S-LFTNG STR PG11NW10 PA6/BR W/INS LONG



General Information	
Extended Product Type	NVNZ-P110S-L
Product ID	7TAA292150R0811
EAN	7630030253669
Catalog Description	FTNG STR PG11NW10 PA6/BR W/INS LONG
Long Description	VNZ Connector Straight, PG11 Metal Thread with Strain Relief IP68 - Long Thread 9, Conduit Size NW 10, Clamping Range 4.0-8.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits
Froduct Type	Tittings for Nyion Hexible Condu

Ordering	
EAN	7630030253669
UPC	786209965455

NVNZ-P110S-L 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW10 , PG11

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm O in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P110S-L
Instructions and Manuals	NVNZ-P110S-L
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVNZ-P110S-L 3/3

