NVNZ-P112S/P1 1/3



PRODUCT-DETAILS

## NVNZ-P112S/P1 FTNG STR PG11 NW12 PA6/BR 4-6.5 BLK



Extended Product Type	NVNZ-P112S/P1
Product ID	7TAA292150R0819
EAN	7630030253553
Catalog Description	FTNG STR PG11 NW12 PA6/BR 4-6.5 BLK
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 11, Conduit Size
- Long Description	NW 12, Clamping Range 4.0-6.5, with Sealing Insert, Color Black
	NW 12, Clamping Range 4.0-6.5, with Sealing Insert, Color Black
Additional Information Application	NW 12, Clamping Range 4.0-6.5, with Sealing Insert, Color Black  Use In Railway Vehicle and Heavy Machine Construction

Ordering EAN

7630030253553 786209965530 NVNZ-P112S/P1 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW12 , PG11
<u>Environmental</u>	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P112S/P1
Instructions and Manuals	NVNZ-P112S/P1
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
	E0001170 Communication for an analysis of the state of th
ETIM 8 UNSPSC	EC001176 - Screw connection for corrugated plastic hose 39121719

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$ 

NVNZ-P112S/P1 3/3

