NVNZ-P167S/P6 1/3



PRODUCT-DETAILS

NVNZ-P167S/P6 FTNG STR PG16NW17 PA6/BR 11.5-15.5B



General Information	
Extended Product Type	NVNZ-P167S/P6
Product ID	7TAA292150R0831
EAN	7630030253430
Catalog Description	FTNG STR PG16NW17 PA6/BR 11.5-15.5B
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 16, Conduit Size NW 17, Clamping Range 11.5-15.5, with Sealing Insert, Color Black

Additional Information

Application Use In Railway Vehicle and Heavy Machine Construction

Product Type Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253430
LIPC	786209965653

NVNZ-P167S/P6 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW17 , PG16
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P167S/P6
Instructions and Manuals	NVNZ-P167S/P6
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 Serous connection for conversated plantic base
UNSPSC	EC001176 - Screw connection for corrugated plastic hose 39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

NVNZ-P167S/P6 3/3

