NVNZ-P213GT 1/3



PRODUCT-DETAILS

## **NVNZ-P213GT** FITTING PA6/BR NW23 PG21 IP68 BLK



General Information	
Extended Product Type	NVNZ-P213GT
Product ID	7TCA292000R0300
EAN	7630030253423
Catalog Description	FITTING PA6/BR NW23 PG21 IP68 BLK
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68GT - Thread 21, Conduit Size NW 23, Clamping Range 13.0-18.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253423
UPC	786210171975

NVNZ-P213GT 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW23 , PG21

## **Environmental**

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	30 EA
Package Level 1 Height	100.076 mm 3.94 in
Package Level 1 Depth / Length	350.012 mm 13.78 in
Package Level 1 Width	279.908 mm 11.02 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P213GT
Instructions and Manuals	NVNZ-P213GT
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

NVNZ-P213GT 3/3

