NVNZ-P299S 1/3



PRODUCT-DETAILS

NVNZ-P299S FTNG STR PG29 NW29 PA6/BR W/INS



General Information	
Extended Product Type	NVNZ-P299S
Product ID	7TAA292150R0844
EAN	7630030253300
Catalog Description	FTNG STR PG29 NW29 PA6/BR W/INS
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 29, Conduit Size NW 29, Clamping Range 18.0-25.0, with Sealing Insert, Color Black
Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253300
UPC	786209965783

NVNZ-P299S 2/3

Technical	
Number of Batteries	
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , PG29
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	80 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in
Outification and Deployations	
Certificates and Declarations Data Sheet, Technical	NVNZ-P299S
Information	
Instructions and Manuals	NVNZ-P299S
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

NVNZ-P299S 3/3

