



PRODUCT-DETAILS

NVNZ-P366GT/P1

FITTING PA6/BR NW36 PG36 27.0-32



Product image
not available

General Information	
Extended Product Type	NVNZ-P366GT/P1
Product ID	7TCA292000R3225
EAN	7630030253225
Catalog Description	FITTING PA6/BR NW36 PG36 27.0-32
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68GT - Thread 36, Conduit Size NW 36, Clamping Range 27.0-32.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253225
UPC	786210172040

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 , PG36

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	100.076 mm 3.94 in
Package Level 1 Depth / Length	350.012 mm 13.78 in
Package Level 1 Width	279.908 mm 11.02 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P366GT/P1
Instructions and Manuals	NVNZ-P366GT/P1
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image
not available