NVNZ-P366S-L 1/3



PRODUCT-DETAILS

## **NVNZ-P366S-L**FTNG STR PG36NW36 PA6/BR W/INS LONG



General Information	
Extended Product Type	NVNZ-P366S-L
Product ID	7TAA292150R0853
EAN	7630030253195
Catalog Description	FTNG STR PG36NW36 PA6/BR W/INS LONG
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Long Thread 36, Conduit Size NW 36, Clamping Range 24.0-32.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253195
UPC	786209965875

NVNZ-P366S-L 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 , PG36

## **Environmental**

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 ir
Package Level 1 Depth / Length	0 mm 0 ir
Package Level 1 Width	0 mm 0 ir

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P366S-L
Instructions and Manuals	NVNZ-P366S-L
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

NVNZ-P366S-L 3/3

