



PRODUCT-DETAILS

# NVNZ-P366S

## FTNG STR PG36 NW36 PA6/BR W/INS



General Information

Extended Product Type	NVNZ-P366S
Product ID	7TAA292150R0852
EAN	7630030253201
Catalog Description	FTNG STR PG36 NW36 PA6/BR W/INS
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 36, Conduit Size NW 36, Clamping Range 24.0-32.0, with Sealing Insert, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering

EAN	7630030253201
UPC	786209965868

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW36 , PG36

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	40 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations	
Data Sheet, Technical Information	NVNZ-P366S
Instructions and Manuals	NVNZ-P366S
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

