



PRODUCT-DETAILS

NVNZ-P366S/P3  
FTNG STR PG36 NW36 PA6/BR 32-36 BLK



General Information	
Extended Product Type	NVNZ-P366S/P3
Product ID	7TAA292150R0856
EAN	7630030253140
Catalog Description	FTNG STR PG36 NW36 PA6/BR 32-36 BLK
Long Description	VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Thread 36, Conduit Size NW 36, Clamping Range 32.0-36.0, with Sealing Insert, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030253140
UPC	786209965905

Technical		
Number of Batteries		0
Color		Black
Material	Polyamide 6 with Nickel Plated Brass Threads	
Size		NW36 , PG36

Environmental		
WEEE Category		Product Not in WEEE Scope

Container Information		
Package Level 1 Units		20 EA
Package Level 1 Height		0 mm 0 in
Package Level 1 Depth / Length		0 mm 0 in
Package Level 1 Width		0 mm 0 in

Certificates and Declarations		
Data Sheet, Technical Information		NVNZ-P366S/P3
Instructions and Manuals		NVNZ-P366S/P3
Declaration of Conformity - CE		9AKK107680A0674

Classifications		
ETIM 8	EC001176 - Screw connection for corrugated plastic hose	
UNSPSC		39121719

Categories		
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems		

