![ABB]

PRODUCT-DETAILS

# NVNZ-P488S-L

## FTNG STR PG48NW48 PA6/BR W/INS LONG



## General Information

| | |
|---|---|
| Extended Product Type | NVNZ-P488S-L |
| Product ID | 7TAA292150R0861 |
| EAN | 7630030253096 |
| Catalog Description | FTNG STR PG48NW48 PA6/BR W/INS LONG |
| Long Description | VNZ Connector Straight, PG Metal Thread with Strain Relief IP68 - Long Thread 48, Conduit Size NW 48, Clamping Range 34.0-44.0, with Sealing Insert, Color Black |

## Additional Information

| | |
|---|---|
| Application | Use In Railway Vehicle and Heavy Machine Construction |
| Product Type | Fittings for Nylon Flexible Conduits |

## Ordering

| | |
|---|---|
| EAN | 7630030253096 |
| UPC | 786209965950 |

2024/04/15 Subject to change without notice

## Technical

| | |
|---|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 with Nickel Plated Brass Threads |
| Size | NW48 , PG48 |

## Environmental

| | |
|---|---|
| WEEE Category | Product Not in WEEE Scope |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 10 EA |
| Package Level 1 Height | 0 mm |
| | 0 in |
| Package Level 1 Depth / Length | 0 mm |
| | 0 in |
| Package Level 1 Width | 0 mm |
| | 0 in |

## Certificates and Declarations

| | |
|---|---|
| Data Sheet, Technical Information | NVNZ-P488S-L |
| Instructions and Manuals | NVNZ-P488S-L |
| Declaration of Conformity - CE | 9AKK107680A0674 |

## Classifications

| | |
|---|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121719 |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

2024/04/15