



PRODUCT-DETAILS

NVWV-M207-6  
FTNG 90D M20 NW17 PA6/BR 6 IP68 BLK



| General Information   |                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | NVWV-M207-6                                                                                                                                                                           |
| Product ID            | 7TAA292150R0873                                                                                                                                                                       |
| EAN                   | 7630030252686                                                                                                                                                                         |
| Catalog Description   | FTNG 90D M20 NW17 PA6/BR 6 IP68 BLK                                                                                                                                                   |
| Long Description      | PMAFIX 90 Degree Black Elbow with Metric Threads, Elbow Material - Polyamide 6, Thread Material - Nickel Plated Brass, Thread Size - M20x1.5, Thread Length - 6, Conduit Size NW - 17 |

| Additional Information |                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Application            | For Use In the Heavy Machine and Railway Vehicle Construction Sectors<br>Where Increased Demands are Made of the System Properties |
| Product Type           | Flexible Conduits & Fittings                                                                                                       |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030252686 |
| UPC      | 786209966186  |

Technical

|                     |                   |
|---------------------|-------------------|
| Number of Batteries | 0                 |
| Color               | Black             |
| Material            | Polyamide/Nylon 6 |
| Size                | M20               |

Environmental

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

|                                |                         |
|--------------------------------|-------------------------|
| Package Level 1 Units          | 200 EA                  |
| Package Level 1 Height         | 219.989 mm<br>8.661 in  |
| Package Level 1 Depth / Length | 399.999 mm<br>15.748 in |
| Package Level 1 Width          | 299.999 mm<br>11.811 in |

Certificates and Declarations

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | NVWV-M207-6     |
| Instructions and Manuals          | NVWV-M207-6     |
| Declaration of Conformity - CE    | 9AKK107680A0674 |

Classifications

|        |                                                         |
|--------|---------------------------------------------------------|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717                                                |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

