NVWZ-M160S/P1 1/3



PRODUCT-DETAILS

## **NVWZ-M160S/P1** FTNG 90D M16 NW10 PA6/BR 4-6.5 BLK



General Information	
Extended Product Type	NVWZ-M160S/P1
Product ID	7TAA292150R0893
EAN	7630030252266
Catalog Description	FTNG 90D M16 NW10 PA6/BR 4-6.5 BLK
Long Description	VWZ Connector 90 Degree Elbow, Metric Metal Thread with Strain Relief IP68 - Tread M16x1.5, Conduit Size NW 10, with Sealing Insert, Range 4.0-6.5, Color Black

Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030252266
UPC	786209966384

NVWZ-M160S/P1 2/3

Technical	
Number of Batteries	0
Color	Black
Material	High-Grade Formulated Polyamide, Thread Made of Nickel-Plated Brass
Size	M16

## **Environmental**

WEEE Category Product Not in WEEE Scope

Container Information		
Package Level 1 Units	50 EA	
Package Level 1 Height	0 mm 0 in	
Package Level 1 Depth / Length	0 mm 0 in	
Package Level 1 Width	0 mm 0 in	

Certificates and Declarations	
Data Sheet, Technical Information	NVWZ-M160S/P1
Instructions and Manuals	NVWZ-M160S/P1
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

NVWZ-M160S/P1 3/3

