



PRODUCT-DETAILS

NVWZ-M207GT/P3

FTNG PA6/BR NW17 M20 6.5-9.5BLK



Product image
not available

General Information	
Extended Product Type	NVWZ-M207GT/P3
Product ID	7TCA292000R3284
EAN	7630030252198
Catalog Description	FTNG PA6/BR NW17 M20 6.5-9.5BLK
Long Description	VWZ Connector 90 Degree Elbow, Metric Metal Thread with Strain Relief IP68GT - Tread M20x1.5, Conduit Size NW 17, with Sealing Insert, Range 6.5-9.5, Color Black

Additional Information	
Application	For Applications with High Technical Requirements
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030252198
UPC	786210172293

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW17 ; M20x1.5

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 EA
Package Level 1 Height	100.076 mm 3.94 in
Package Level 1 Depth / Length	350.012 mm 13.78 in
Package Level 1 Width	279.908 mm 11.02 in

Certificates and Declarations	
Data Sheet, Technical Information	NVWZ-M207GT/P3
Instructions and Manuals	NVWZ-M207GT/P3
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image
not available