1/3 NVWZ-M207S/P5



PRODUCT-DETAILS

NVWZ-M207S/P5 FTNG 90D M20 NW17 PA6/BR 9-13 BLK



Extended Product Type	NVWZ-M207S/P5
Product ID	7TAA292150R0903
EAN	7630030252143
Catalog Description	FTNG 90D M20 NW17 PA6/BR 9-13 BLK
Long Description	VWZ Connector 90 Degree Elbow, Metric Metal Thread with Strain Relief IP68 - Tread M20x1.5, Conduit Size NW 17, with Sealing Insert, Range 9.0-13.0, Color Black
Additional Information	
Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits
Ordering	
Ordering	
EAN UPC	7630030252143 786209966483

NVWZ-M207S/P5 2/3

Technical	
Number of Batteries	0
Color	Black
Material	High-Grade Formulated Polyamide, Thread Made of Nickel-Plated Brass
Size	M20
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	200 EA
Package Level 1 Height	200 mm 7.874 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in
Certificates and Declarations	
Data Sheet, Technical Information	NVWZ-M207S/P5
Instructions and Manuals	NVWZ-M207S/P5
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

NVWZ-M207S/P5 3/3

