P9XER4RAW 1/3



PRODUCT-DETAILS

## **P9XER4RAW**

## P9XER4RAW Emergency stop



| General Information   |  |
|-----------------------|--|
| Extended Product Type | P9XER4RAW  |
| Product ID            | 1SFA185078R9001  |
| EAN                   | 7320500522837  |
| Catalog Description   | P9XER4RAW Emergency stop   |
| Long Description      | The P9XER4RAW Emergency stop is: Modular metal - Emergency stop - Twist release -<br>Mushroom 40 mm - Red - Non-illuminated<br>This Emergency stop is part of ABB's modular metal range designed for mining,<br>construction and heavy industry applications, combining the highest reliability with<br>the full flexibility of a modular range. |

| Ordering               |            |
|------------------------|------------|
| Minimum Order Quantity | 10 piece   |
| Customs Tariff Number  | 8536501990 |

## **Popular Downloads**

Data Sheet, Technical 1SFC151007C0201

P9XER4RAW 2/3

| Into | orm | าล†า | or |
|------|-----|------|----|
|      |     |      |    |

| Instructions and | 1SFC151011M0201 |
|------------------|-----------------|
| Manuals          |                 |

| Dimensions                    |          |
|-------------------------------|----------|
| Product Net Width             | 39.5 mm  |
| Product Net Height            | 39.5 mm  |
| Product Net Depth /<br>Length | 68 mm    |
| Product Net Weight            | 0.055 kg |

| Technical                  |   |
|----------------------------|---|
| Ambient Air<br>Temperature | Operation -30 70 °C<br>Storage -40 +70 °C |
| Color                      | Red                                       |
| Actuator Type              | Mushroom 40 mm                            |
| Illumination               | Non-illuminated                           |
| Function                   | Maintained                                |
| Sub-Function               | Twist release                             |

| Material Compliance                               |  |
|---|--|
| Conflict Minerals<br>Reporting Template<br>(CMRT) | 9AKK108467A5658  |
| REACH Declaration                                 | 2CMT2022-006479  |
| RoHS Information                                  | 2CMT2022-006498  |
| RoHS Status                                       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances<br>Control Act - TSCA            | 2CMT2023-006523  |
| WEEE B2C / B2B                                    | Business To Business   |
| WEEE Category                                     | Product Not in WEEE Scope  |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| BV Certificate                    | 2CMT2019-005867 |
| CB Certificate                    | 2CMT2019-005872 |
| CSA Certificate                   | 2CMT2019-005868 |
| Declaration of<br>Conformity - CE | 2CMT2019-005863 |
| Declaration of Conformity - UKCA  | 2CMT2020-006122 |
| DNV GL Certificate                | 2CMT2019-005876 |
| RINA Certificate                  | 2CMT2019-005866 |
| UL Certificate                    | 2CMT2019-005868 |

| Container Information          |             |
|--------------------------------|-------------|
| Package Level 1 Units          | box 1 piece |
| Package Level 1 Width          | 41 mm       |
| Package Level 1 Depth / Length | 113 mm      |

P9XER4RAW 3/3

| Package Level 1 Height          | 41 mm         |
|---------------------------------|---------------|
| Package Level 1 Gross<br>Weight | 0.064 kg      |
| Package Level 1 EAN             | 7320500522837 |

| Classifications   |   |
|-------------------|---|
| ETIM 7            | EC001038 - Front element for mushroom push-button |
| ETIM 8            | EC001038 - Front element for mushroom push-button |
| eClass            | V11.0 : 27371210                                  |
| UNSPSC            | 39121545  |
| E-Number (Sweden) | 3705927   |

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Control\ Products\ \rightarrow\ Pilot\ Devices\ \rightarrow\ Emergency\ Stop\ and\ Safety\ Stop$   $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Control\ Products\ \rightarrow\ Pilot\ Devices\ \rightarrow\ Modular\ Metal\ Range\ P9M\ \rightarrow\ P9XE\ Emergency\ Stop$ 

